

## **Risk Assessment Form**

Area to be assessed: Workshop areas	Reference:	Issue: 01
Hazard: COVID-19	Assessed by: SP/TL	
People at Risk: Production staff	Assessment Date: 14/05/20	

Area	Existing Control Measures	Additional Action Required	By who?	By when?	Done
Warehouse stores	Goods in signage put up and doors locked to prevent drivers walking in without authorisation	Cleaning procedure Antibacterial wipes placed in the forklift Sign for tunnel stores to indicate no more than 1 person allowed Visor to be provided to wear when	SP/TL	25/05/20	
Laser Room	Cleaning products supplied Hand sanitiser	taking deliveries  Only the same person from each department to collect lasered items every 2 hours unless the job is urgent  Visors to be provided for when a 2man lift is required	TL/SP	25/05/20	
Strippers/Plate pulling  People identified as living with someone vulnerable	Cleaning products supplied Hand sanitiser Reduction in staff	Re organise benches to accommodate extra staff returning Card screen next to walkway	TL/SP	25/05/20	$\bigcirc$
someone vallerable		Visor to be provided for identified staff for times when needed			

Area	Existing Control Measures	Additional Action Required	By who?	By when?	Done
Flatbed Ruling  People identified as living with someone vulnerable	Cleaning products supplied Hand sanitiser Reduction in staff	Screens around walkways and in the area between flat and rotary ruling Sign to stop people cutting through to the toilets and to use the outside walkways	TL/SP	25/05/20	$\bigcirc$
People identified as clinically vulnerable		Visor to be provided for identified staff for times when needed like moving around the building			
Rotary Pre prod	Cleaning products supplied Hand sanitiser	Same people to work in the pre prod area to reduce the amount of different contact  Screen between pre prod and flatbed ruling and against walkway  Signage to state that no more than 2 people to be in the same area  Visor to be provided for identified staff for times when needed like moving around the building and assessing jobs/training	TL/SP	25/05/20	
Rotary Ruling	Cleaning products supplied Hand sanitiser Shells moved 2 meters apart	Clear screens to be put up in between benches so staff can access the fixed equipment.  Screen off the walkway  Visor to be provided for identified staff for times when needed like moving around the building and assessing jobs/training	TL/SP	25/05/20	

Area	Existing Control Measures	Additional Action Required	By who?	By when?	Done
Rubbering People identified as living with someone vulnerable	Cleaning products supplied Hand sanitiser benches moved 2 meters apart	Extra cleaning products so each member of staff has their own bottle to move with them onto the different cells. In this area staff needed to move cells regularly	SP/TL	25/05/20	$\bigcirc$
		Perspex screen to be placed in between the computers.			
		Visor to be provided for identified staff for times when needed like moving around the building and assessing jobs/training			
Dispatch (Dies)	Clear signage to request that all drivers remain in their vehicles  Reporting of drivers who fail to adhere to the signage  Cleaning products supplied	Visors to be provided for as an extra layer of PPE for when loading jobs into vehicles.	SP/TL	25/05/20	$\bigcirc$
	Cleaning products supplied Hand sanitiser PPE supplied to be work when a 2man lift is required				
Workshop toilets		Signage to advise that it is now 1 in 1 out policy	TL/SP	25/02/20	$\bigcirc$
		Cone to be placed outside when someone is on the toilets to prevent others walking in			
Canteen Areas	Clear signage to state how many people maximum Chairs moved and removed so that seats are at least 2 meters apart	Posters encouraging hand washing and good hygiene	SP	25/02/20	$\bigcirc$

Area	Existing Control Measures	Additional Action Required	By who?	By when?	Done
Engineers	Cleaning products supplied Hand sanitiser				
Engraving shop floor and platemaking	Cleaning products supplied Hand sanitiser				

## Personal Protective Equipment (PPE) to be worn







Eye protection

Safety Footwear

Gloves